



Suitable for Residential
and Commercial use.

SPECTRUM SERIES

HERITAGE SOLAR LIGHTING COLUMN



HERITAGE SOLAR LIGHTING COLUMN

TECHNICAL SPECIFICATIONS

Product Type	Heritage U30W
Fixture IP	IP67
Material	Aluminium Die Casting
LED Type	Philips Lumileds
CCT Range	3000K / 4000K / 5000K / 6000K
CRI	>81
Luminous Flux	4500lm
Pole Height	4-6 Metres
Rated Power	30W
Luminaire Efficiency	160
Warranty	3 Years
Certificates	CE - ROHS - IP67 - IK08 - LM79 - LM82 - TM21 - FCC - CB - IECEE

Battery Pack

Battery Type	Lithium Iron Phosphate - LiFePO4 (2000 Cycles)
Battery Lifetime	>4000 Cycles DOD 50% or >2000 Cycles at 100% DOD
Charge Time	3 Hours

Control System	Programmable MPPT Controller / Hybrid Controller / Wireless Intelligent Control
-----------------------	---

	Q140	Q200
Structure	Aluminium Alloy	
Dimensions (mm)	228 x 200 x 1560	228 x 200 x 2065
Pmax	140wp x2	200wp x1
Vmp	36V	
Solar Cell Efficiency	21.20%	
Cable	MC4 0.6 meter	
Operating Temp.	-30°C - 70°C	
Lifetime	25 Years	
Warranty	3 Years	
Certificates	CE - ROHS - FCC - IP67 - LM80 - COC - IK10 - LM79 - SABER - CB	

Controller

Charge Mode	MPPT
System Voltage	12V
Efficiency	>98%
Setting Method	By Remote Control/Remote Access
Installation Method	Built In
Operating Temp.	-40°C - 80°C
IP Rating	IP68
Lighting Modes	100% Continuous Lighting / Energy Saving / Customised Modes



PRODUCT INFORMATION

Our HERITAGE Lighting Column offers you the ability to quickly and simply install new lighting or replace obsolete ones with the latest generation LED lamps powered by solar energy.

We can offer you a 100% solar version, completely independent of the grid, but also a hybrid version (combining solar and on-grid system). With these different versions, our aim is to offer a varied solution for projects and to thereby be in a position to meet the different demands of customers with regard to their infrastructure.

Our HERITAGE Lighting Column is equipped with advanced LED and photovoltaic technology. The vertical design of the SOLAR WRAP® provides for very low maintenance, reducing the need for cleaning, which maximises yields at all times.